

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	791	unauthoriz\$5 same (identif\$4 specif\$4) adj3 (system node terminal machine device unit station element component) and @ad<"20011221"	US-PGPUB; USPAT	OR	ON	2005/12/07 14:30
L2	35	unauthoriz\$5 same (identif\$4 specif\$4) adj3 (system node terminal machine device unit station element component).ab. and @ad<"20011221"	US-PGPUB; USPAT	OR	ON	2005/12/07 14:31
L3	4	unauthoriz\$5 same (identif\$4 specif\$4) adj3 (system node terminal machine device unit station element component).ab. and @ad<"20011221" and password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:43
L4	92	unauthoriz\$5 same (identif\$4 specif\$4) adj3 (system node terminal machine device unit station element component)and @ad<"20011221" and password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:43
L5	59	unauthoriz\$5 same (identif\$4 specif\$4) adj3 (system node terminal machine device unit station element component)and @ad<"20011221" and (software tool program application script code instructions) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:45
L6	100	unauthoriz\$5 same (identif\$4 specif\$4 id name aspect) adj3 (system node terminal machine device unit station element component) and @ad<"20011221" and (software tool program application script code instructions) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:46
L7	16	unauthoriz\$5 same (identif\$4 specif\$4 id name aspect) adj3 (system node terminal machine device unit station element component) and @ad<"20011221" and (software tool program application script code instructions) with (mathematic\$4 calculat\$3 compute computing) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:48

L8	19	unauthoriz\$5 same (identif\$4 specif\$4 id name aspect) adj3 (system node terminal machine device unit station element component) and (@ad<"20011221" @rlad<"20011221") and (software tool program application script code instructions) with (mathematic\$4 calculat\$3 compute computing) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:49
L9	20	unauthoriz\$5 same (identif\$4 specif\$4 id name aspect) adj3 (system node terminal machine device unit station element component) and (@ad<"20011221" @rlad<"20011221") and (mathematic\$4 calculat\$3 compute computing) with password with (id username userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 14:51
L10	26	unauthoriz\$5 same (identif\$4 specif\$4 id name aspect) adj3 (system node terminal machine device unit station element component) same password with (id username userid) and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2005/12/07 14:51
L11	26	10 not 9	US-PGPUB; USPAT	OR	ON	2005/12/07 14:51

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1712	(id identif\$4) with (client remote user subscriber customer) with (aspect character\$5 manufactur\$3 hardware apparatus) and authoriz\$5 and unauthoriz\$5 and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2005/12/07 10:52
L2	5	(id identif\$4) with (client remote user subscriber customer) with (aspect character\$5 manufactur\$3 hardware apparatus) and authoriz\$5 and unauthoriz\$5 and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 cimputing math mathematic\$2) with password with (id dientifer username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 11:17
L3	3	(id identif\$4) with (client remote user subscriber customer) with (aspect criteria specif\$5 parameter character\$5) near5 (system node unit device component object manufactur\$3 hardware apparatus) and authoriz\$5 and unauthoriz\$5 and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 cimputing math mathematic\$2) with password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:04
L5	17	(id identif\$4 check\$3 discover\$3 detect\$3 verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3) same authoriz\$5 and ("not" adj3 authoriz\$5 unauthoriz\$5) and (client remote user subscriber customer) with (aspect criteria specif\$5 parameter character\$5) with (system node unit device component object manufactur\$3 hardware apparatus) and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 computing math logic mathematic\$2) with password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:10

L6	1	(id identif\$4 check\$3 discover\$3 detect\$3 verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3) same authoriz\$5 and ("not" adj\$3 authoriz\$5 unauthoriz\$5) with (client remote user subscriber customer) with (aspect criteria specif\$5 parameter character\$5) with (system node unit device component object manufactur\$3 hardware apparatus) and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 computing math logic mathematic\$2) with password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:11
L7	1	(id identif\$4 check\$3 discover\$3 detect\$3 verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3) same ("not" adj\$3 authoriz\$5 unauthoriz\$5) with (client remote user subscriber customer) with (aspect criteria specif\$5 parameter character\$5) with (system node unit device component object manufactur\$3 hardware apparatus) and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 computing math logic mathematic\$2) with password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:12
L8	10	(id identif\$4 check\$3 discover\$3 detect\$3 verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3) same ("not" adj\$3 authoriz\$5 unauthoriz\$5) with (client remote user subscriber customer) with (system node unit device component object manufactur\$3 hardware apparatus) and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 computing math logic mathematic\$2) with password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:15

L9	11	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3) with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4) with (client remote user subscriber customer) with (system node unit device component object manufactur\$3 hardware apparatus terminal station) and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 computing math logic mathematic\$2) with password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:21
L10	6	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3) adj10 (client remote user subscriber customer) near3 (system node unit device component object manufactur\$3 hardware apparatus terminal station)with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4) and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 computing math logic mathematic\$2) with password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:23
L11	6	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3 isolat\$3 disconnect\$3) adj10 (client remote user subscriber customer) near3 (system node unit device component object manufactur\$3 hardware apparatus terminal station)with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4) and (@ad<"20011221" @rlad<"20011221") and (calculat\$3 computing math logic mathematic\$2) with password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:24

L12	643	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3 isolat\$3 disconnect\$3) adj10 (client remote user subscriber customer) near3 (system node unit device component object manufactur\$3 hardware apparatus terminal station)with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4) and (@ad<"20011221" @rlad<"20011221") and password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:24
L13	26	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3 isolat\$3 disconnect\$3) adj10 (client remote user subscriber customer) near3 (system node unit device component object manufactur\$3 hardware apparatus terminal station)with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4).ab. and (@ad<"20011221" @rlad<"20011221") and password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:28
L14	7	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 monitor\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3 isolat\$3 disconnect\$3) with (client remote user subscriber customer) near (system node unit device component object manufactur\$3 hardware apparatus terminal station)with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4).ab. and (@ad<"20011221" @rlad<"20011221") and password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:31

L15	6	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 exclud\$3\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3 isolat\$3 disconnect\$3) with (client remote user subscriber customer) near (system node unit device component object manufactur\$3 hardware apparatus terminal station) with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4).ab. and (@ad<"20011221" @rlad<"20011221") and password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 12:39
L16	13	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 exclud\$3\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3 isolat\$3 disconnect\$3) with (client remote user subscriber customer assoiat\$2 correspon\$ temp\$5 hack\$3 untru\$3 attack\$2) near (system node machine computer unit device component object manufactur\$3 hardware apparatus terminal station) with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4).ab. and (@ad<"20011221" @rlad<"20011221") and password with (id identifier username name userid)	US-PGPUB; USPAT	OR	ON	2005/12/07 13:03
L20	131	(identif\$4 discover\$3 detect\$3 design\$3 elect verif\$4 exclud\$3\$3 secur\$3 prevent\$3 protect\$3 filter\$3 intercept\$3 isolat\$3 disconnect\$3) with (client remote user subscriber customer) same (associat\$2 correspon\$ correlat\$3 temper\$5 hack\$3 intru\$4 attack\$2) same (laptop wireless mobile system node machine computer unit device component object manufactur\$3 hardware apparatus terminal station) with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4) same password with (id identifier username name userid)and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2005/12/07 13:29
L21	44	20 and (mathematic\$2 calculat\$3)	US-PGPUB; USPAT	OR	ON	2005/12/07 13:10

L22	7	(temper\$5 hack\$3 intru\$4 attack\$2) same (based associat\$2 correspon\$ correlat\$3) near5 (laptop wireless mobile system node machine computer unit device component object manufactur\$3 hardware apparatus terminal station) with ("not" adj3 authoriz\$5 unauthoriz\$5 attack\$3 tamper\$3 hack\$3 intru\$4) same password with (id identifier username name userid)and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2005/12/07 13:33
-----	---	--	--------------------	----	----	------------------